Please fax both pages of completed form to the Deep Vein Thrombosis team at 888.302.1028.

To reach your team, call toll-free 844.516.3319.

You can now monitor shipments and chat online if you have questions. Go to MyAccredoPatients.com to log in or get started.

Prescription & Enrollment Form
Deep vein thrombosis



Four simple steps to submit your referral.

| 1 Patient Inform | mation | | Please attach copi | | back of the patient's medical |
|---|---|------------------------------------|--------------------|----------------|------------------------------------|
| □ New patient □ Current pati | ent | | | | |
| Patient's first name | | Las | st name | | Middle initial |
| | | | | | Imadic imidi |
| | | | | | Apt # |
| | | | | | Zip |
| · | | | | | |
| | | | | | |
| | | | | | |
| Alternate caregiver/contact | | | | | |
| Home phone | Cell phone | | E-mail ac | ldress | |
| ☐ OK to leave message with alt | | | | | |
| _ | _ | er, please specify | | | |
| 2 Prescriber In | formation | | All fields must be | completed to e | expedite prescription fulfillment. |
| | | | | | |
| | Last name | | | | |
| Prescriber's title | If NP or PA, under direction of Dr | | | | |
| Office address | | | | | |
| · | | | | | |
| | fice contact phone number Office contact e-mail | | | | |
| | | Office/Infusion clinic affiliation | | | |
| | | | | | Suite # |
| | | | | | Zip |
| | | | | l | _icense # |
| Deliver product to: • Office • Clinical Infor | | Clinic location | | | |
| Primary ICD-10 code: | | F | atient weight | | Date measured |
| Laboratory results: Hematocrit | % Date _ | | Hemaglobin | g/dl | Date |
| Platelets | Date | CrCl | | mL/min | Date |
| EXPECTED DATE OF FIRST/NE | XT INJECTION | | DATE OF LAST IN | NJECTION (if a | pplicable) |
| Agency nurse to visit home for i | njection: 🗆 Yes 🗅 No 🗚 | Agency name & p | hone | | |
| □ NKDA □ Known drug allergi | ies | | | | |
| Concurrent meds | | | | | |

| Prescription & Enrollment Form: Deep vein thrombosis | | Fa | ax completed form to 888.302.1028. |
|--|-----------|----------------|------------------------------------|
| Patient's first name | Last name | Middle initial | Date of birth |
| Prescriber's first name | Last name | | Phone |

| L |
|---|
| |

Prescribing Information

| Prophylaxis: | Medication | Dose | Directions | Quantity/Refills |
|--|---------------|---|--|------------------|
| □ Fragmin® (dalteparin sodium) □ 2,500 units/mL prefilled syringe □ 5,000 units/mL prefilled syringe □ 10,000 units/mL prefilled syringe □ 12,500 units/mL prefilled syringe □ 15,000 units/mL prefilled syringe □ 15,000 units/mL prefilled syringe □ 15,000 units/mL prefilled syringe □ 0ther | (fondaparinux | ☐ 5mg (wt<50kg) ☐ 7.5mg (wt 50–100kg) ☐ 10mg (wt>100kg) ☐ Prophylaxis: ☐ 2.5mg | | ☐ 1-month supply |
| (enoxaparin sodium) □ 20mg prefilled syringe □ 30mg prefilled syringe □ 40mg prefilled syringe □ 0ther □ DVT Treatment or unstable angina: □ 1-month supply □ 3-month supply □ Other Refills | | □ DVT Prophylaxis: □ 2,500 units/mL prefilled syringe □ 5,000 units/mL prefilled syringe □ 10,000 units/mL prefilled syringe □ 12,500 units/mL prefilled syringe □ 15,000 units/mL prefilled syringe | | ☐ 1-month supply |
| □ 100mg prefilled syringe □ 120mg prefilled syringe □ Other | | □ 20mg prefilled syringe □ 30mg prefilled syringe □ 40mg prefilled syringe □ 0ther □ DVT Treatment or unstable angina: □ 80mg prefilled syringe □ 100mg prefilled syringe □ 120mg prefilled syringe | ☐ Inject mg subcutaneously twice daily | ☐ 1-month supply |

If shipped to physician's office or infusion clinic, physician accepts on behalf of patient for administration in office or infusion clinic.

Prescriber's signature (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

| | | | PHYSICIAN SIGN | NATURE REQUIRED |
|--------------|------|---------------------|----------------|----------------------|
| SIGN HERE | • | | | |
| | Date | Dispense as written | Date | Substitution allowed |

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.

