## Osteoporosis



## Four simple steps to submit your referral.

1 PATIENT INFO	RMATION	□ Ne	ew patient 🚨 Current
Patient first name			
Last name			
Date of birth	_ 🗆 Male 🖵 Female	Last 4 digit	s of SSN
Street address			Apt #
City		State	Zip
Parent/guardian (if applicable	e)		
Home phone	Work phone		
	Evening phone		
E-mail address			
Patient's primary language: [	⊒English □Other If otl	ner, please s	specify
Please attach front and back	k of patient's insurance ca	rds or compl	ete information below.
Insurance company	P	hone	
Insured's name			
Insured's employer			
Insured's employer Relationship to patient			
Relationship to patient			
	Policy/	group#	
Relationship to patient Identification #	Policy/	group #	
Relationship to patient Identification # Prescription card: \( \text{Yes} \) \( \text{No.} \)	Policy/ o If yes, carrier Group # _	group #	

2 PRESC	CRIBER INFOR	MATION		s must be completed to prescription fulfillment
Date	Time	Date me		•
	me and title			
If NP or PA, und	ler direction of Dr			
Office contact	and title			
Clinic/hospital	affiliation			
Street address				Suite #
				Zip
Deliver product	to: Office Patient'	s home 🗖 Clini	 c	
Clinic location				
(B) CLINI	CAL INFORMA	TION		
CLIIVI	CAL IIVI OKIVIA			
	code:			
EXPECTED DATE	OF FIRST/NEXT INJECTION	ON		
DATE OF LAST IN	NJECTION (if applicable)			
Agency nurse to	visit home for injection	? □ No □ Yes		
Agency name a	nd phone			
Date labs obtain	ned		Calcium	1
Allaaai.a				

## 4 PRESCRIBING INFORMATION

Medication	Strength / Formulation	Directions	Quantity/Refills
□ Evenity® (romosozumab-aqqg)	Two-pack carton of 105 mg/1.17 mL prefilled syringes.  Total dose 210 mg	Inject 210 mg (two 105 mg syringes sequentially) subcutaneously once every month for 12 doses in the abdomen, thigh or upper arm.  Note: Evenity must be administered by a healthcare provider.	Dispense:  1 carton (2 syringes)  Other  Refills
□ Forteo® (teriparatide [rDNA origin])	Multi-dose prefilled Forteo delivery device containing 28 daily doses of 20 mcg	Inject 20 mcg subcutaneously once daily  Stop date  Cumulative use parathyroid hormone analogs (e.g. teriparatide and abaloparatide) for more than 2 years during a patient's lifetime is not recommended.	Dispense:  1-month supply  3-month supply  Refills
□ Prolia® (denosumab)	60 mg/1 mL prefilled syringe	Administer 60 mg every 6 months as a subcutaneous injection in the upper arm, upper thigh or abdomen.  Note: Prolia must be administered by a healthcare provider.	Dispense:  1 syringe Other Refills
□ Tymlos® (abaloparatide)	Multi-dose prefilled Tymlos pen delivering 30 daily doses containing 80 mcg of abaloparatide	Inject 80 mcg subcutaneously once daily  Stop date  Cumulative use parathyroid hormone analogs (e.g. teriparatide and abaloparatide) for more than 2 years during a patient's lifetime is not recommended.	Dispense:  1-month supply  3-month supply  Refills
☐ Prescriber, please check here to authorize ancillary supplies such as needles, syringes, sterile water, etc. to administer the therapy		As needed for administration	Send quantity sufficient for medication days supply
By signing below, I certify that	physician accepts on behalf of patient for adm the above therapy is medically necessary.  () (Physician attests this is his/her legal signatur	e. NO STAMPS) PHYSICIAN SIGNATURE REQUIRES	D
	ostitution allowed er state-specific prescription requirements such as e-pres	Date Dispense as written  scribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements or	ould result in outreach to the prescriber.

□ NKDA □ Known drug allergies \_

Concurrent meds

Please fax completed form to the Osteoporosis team at 888.302.1028. To reach your team, call toll-free 888.608.9010. You can now track shipments for all your Accredo patients. Go to https://prescribers.accredo.com and click "Help" to register.

Forteo is a registered trademark of Eli Lilly and Company.