## Please fax both pages of completed form to your Carbaglu team at 808.650.6487.

To reach your team, call toll-free 808.650.6488.

You can now monitor shipments and chat online if you have questions. Go to MyAccredoPatients.com to log in or get started.

Prescription & Enrollment Form

Carbaglu® (carglumic acid)—for oral use



## Four simple steps to submit your referral.

1 Patient Info	rmation		e attach copies o rescription insura	f front and back of the ance cards.	e patient's medical
☐ New patient ☐ Current pa	atient				
Patient's first name		Last nam	e		Middle initial
☐ Male ☐ Female Last 4	digits of SSN		Date	of birth	
Street address					Apt #
City	S	tate		Zip	
Home phone	Cell phone		_ E-mail addres	SS	
Parent/guardian (if applicable)	l <u></u>				
Home phone	Cell phone		E-mail addres	SS	
Alternate caregiver/contact					
Home phone	Cell phone		E-mail addres	SS	
☐ OK to leave message with a	Iternate caregiver/contact				
Patient's primary language:	n English □ Other If other, p	lease specify			
Prescriber's first name Prescriber's title Office contact and title Office contact phone number	Time	Last nam If NP or I	eeA, under direction	on of Dr	
	☐ Patient's home ☐ Clinic				
Primary ICD-10 code:					
Baseline ammonia level	umol/L Test date _		_	_	recorded
□ NKDA □ Known drug aller	gies				
Concurrent meds					

Fax completed form to 808.650.6487.

4

## **Prescribing Information**

Prescription & Enrollment Form: Carbaglu® (carglumic acid)—for oral use

Medication	Strength/Formulation	Directions	Quantity/Refills				
☐ Carbaglu® (carglumic acid)	200mg tablet	Acute hyperammonemia due to NAGS deficiency: Recommended initial pediatric and adult dosage is 100mg/kg/day to 250mg/kg/day divided into 2 to 4 doses and rounded to the nearest 100mg (i.e. half of Carbaglu tablet). Titrate based on plasma ammonia level and clinical symptoms.	Quantity of bottles  (60 tablets per bottle)  Refills				
		Maintenance for chronic hyperammonemia due to NAGS deficiency: Recommended pediatric and adult maintenance dosage is 10mg/kg/day to 100mg/kg/day divided into 2 to 4 doses and rounded to the nearest 100mg (i.e. half of Carbaglu tablet). Titrate to target plasma ammonia level for age.	Quantity of bottles  (5 tablets per bottle)  Refills				
		Prescribed dose: Total daily dose isg; equaling tablets per day (to be divided into 2–4 doses per day).					
		Mix 200mg tablets in a minimum of 2.5mL of water per tablet and drink immediately before meals or feedings. Take this dose times per day.					
		Do not swallow the tablets whole or crushed. Refrigerate until first use, then store at room temperature up to one month (see full PI for more information).					
Additional special instructions:							
Other			☐ 1-month supply ☐ 3-month supply ☐ Other				
			Refills				

ATTENTION: If this is an emergency (STAT) order OR for a hospital inpatient, please call 877.900.9223. This form is for non emergency maintenance prescriptions only.

If shipped to physician's office, physician accepts on behalf of patient for administration in office.

Prescriber's signature (sign below) (Physician attests this is his/her legal signature. NO STAMPS)PHYSICIAN SIGNATURE REQUIRED



Date Dispense as written Date Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc.

Non-compliance with state-specific requirements could result in outreach to the prescriber.

Carbaglu® is a licensed trademark of Recordati Rare Diseases Inc.

Carbaglu® is licensed to and distributed by Recordati Rare Diseases Inc. Lebanon, NJ 08833.

