

Please fax both pages of completed form to your team at 808.650.6487.

To reach your team, call toll-free 808.650.6488.

You can now monitor shipments and chat online if you have questions. Go to [MyAccredoPatients.com](https://MyAccredoPatients.com) to log in or get started.

Prescription & Enrollment Form

## Elevidys (delandistrogene moxeparvovec-rokl)

*accredo*<sup>®</sup>

677 Ala Moana Blvd., Suite 404,  
Honolulu, HI 96813-5412

Four simple steps to submit your referral.

### 1 Patient Information



Please provide copies of front and back of all medical and prescription insurance cards.

New patient      Current patient

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_

Sex at birth:    Male    Female    Pronouns \_\_\_\_\_ Last 4 digits of SSN \_\_\_\_\_ Date of birth \_\_\_\_\_

Street address \_\_\_\_\_ Apt # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Parent/guardian (if applicable) \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Alternate caregiver/contact \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

OK to leave message with alternate caregiver/contact

Patient's primary language:    English    Other    If other, please specify \_\_\_\_\_

### 2 Prescriber Information

All fields must be completed to expedite prescription fulfillment.

Date \_\_\_\_\_ Time \_\_\_\_\_ Date medication needed \_\_\_\_\_

Office/clinic/institution name \_\_\_\_\_

**Prescriber info:** Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_

Prescriber's title \_\_\_\_\_ If NP or PA, under direction of Dr. \_\_\_\_\_

Office phone \_\_\_\_\_ Fax \_\_\_\_\_ NPI # \_\_\_\_\_ License # \_\_\_\_\_

Office contact and title \_\_\_\_\_ Office contact email \_\_\_\_\_

Office street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

**Infusion info:** Infusion site name \_\_\_\_\_ Clinic/hospital affiliation \_\_\_\_\_

Site street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Infusion site contact \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_ Email \_\_\_\_\_

### 3 Clinical Information

**Primary ICD-10 code (REQUIRED):** \_\_\_\_\_ Has the patient been treated previously for this condition?    Yes    No

Is patient currently on therapy?    Yes    No    Please list all therapies tried/failed: \_\_\_\_\_

Patient wt \_\_\_\_\_ Date wt obtained \_\_\_\_\_

NKDA    Known drug allergies \_\_\_\_\_

Concurrent meds \_\_\_\_\_

AAVrh74 Antibody Test:    Ordered    Completed

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_ Date of birth \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_ Phone \_\_\_\_\_

## 4 Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Elevidys (delandistrogene moxeparovec-rokl)	ELEVIDYS is provided in a customized kit containing ten to seventy 10mL single-dose vials, with each kit constituting a dosage unit based on the patient's body weight. All vials have a nominal concentration of $1.33 \times 10^{13}$ vg/mL	Administer as an intravenous infusion over 1-2 hours. Infuse at a rate of less than 10mL/kg/hour	1 kit No Refills

Weight (kg)	Patient Weight Range (kg)	Number of vials	Dose volume (mL)	Carton NDCs
10	10.0 - 10.49	10	100	60923-501-10
11	10.5 - 11.49	11	110	60923-502-11
12	11.5 - 12.49	12	120	60923-503-12
13	12.5 - 13.49	13	130	60923-504-13
14	13.5 - 14.49	14	140	60923-505-14
15	14.5 - 15.49	15	150	60923-506-15
16	15.5 - 16.49	16	160	60923-507-16
17	16.5 - 17.49	17	170	60923-508-17
18	17.5 - 18.49	18	180	60923-509-18
19	18.5 - 19.49	19	190	60923-510-19
20	19.5 - 20.49	20	200	60923-511-20
21	20.5 - 21.49	21	210	60923-512-21
22	21.5 - 22.49	22	220	60923-513-22
23	22.5 - 23.49	23	230	60923-514-23
24	23.5 - 24.49	24	240	60923-515-24
25	24.5 - 25.49	25	250	60923-516-25
26	25.5 - 26.49	26	260	60923-517-26
27	26.5 - 27.49	27	270	60923-518-27
28	27.5 - 28.49	28	280	60923-519-28
29	28.5 - 29.49	29	290	60923-520-29
30	29.5 - 30.49	30	300	60923-521-30
31	30.5 - 31.49	31	310	60923-522-31
32	31.5 - 32.49	32	320	60923-523-32
33	32.5 - 33.49	33	330	60923-524-33
34	33.5 - 34.49	34	340	60923-525-34
35	34.5 - 35.49	35	350	60923-526-35
36	35.5 - 36.49	36	360	60923-527-36
37	36.5 - 37.49	37	370	60923-528-37
38	37.5 - 38.49	38	380	60923-529-38
39	38.5 - 39.49	39	390	60923-530-39
40	39.5 - 40.49	40	400	60923-531-40
41	40.5 - 41.49	41	410	60923-532-41

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_ Date of birth \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_ Phone \_\_\_\_\_

4 Prescribing Information

Weight (kg)	Patient Weight Range (kg)	Number of vials	Dose volume (mL)	Carton NDCs
42	41.5 - 42.49	42	420	60923-533-42
43	42.5 - 43.49	43	430	60923-534-43
44	43.5 - 44.49	44	440	60923-535-44
45	44.5 - 45.49	45	450	60923-536-45
46	45.5 - 46.49	46	460	60923-537-46
47	46.5 - 47.49	47	470	60923-538-47
48	47.5 - 48.49	48	480	60923-539-48
49	48.5 - 49.49	49	490	60923-540-49
50	49.5 - 50.49	50	500	60923-541-50
51	50.5 - 51.49	51	510	60923-542-51
52	51.5 - 52.49	52	520	60923-543-52
53	52.5 - 53.49	53	530	60923-544-53
54	53.5 - 54.49	54	540	60923-545-54
55	54.5 - 55.49	55	550	60923-546-55
56	55.5 - 56.49	56	560	60923-547-56
57	56.5 - 57.49	57	570	60923-548-57
58	57.5 - 58.49	58	580	60923-549-58
59	58.5 - 59.49	59	590	60923-550-59
60	59.5 - 60.49	60	600	60923-551-60
61	60.5 - 61.49	61	610	60923-552-61
62	61.5 - 62.49	62	620	60923-553-62
63	62.5 - 63.49	63	630	60923-554-63
64	63.5 - 64.49	64	640	60923-555-64
65	64.5 - 65.49	65	650	60923-556-65
66	65.5 - 66.49	66	660	60923-557-66
67	66.5 - 67.49	67	670	60923-558-67
68	67.5 - 68.49	68	680	60923-559-68
69	68.5 - 69.49	69	690	60923-560-69
70	69.5 and above	70	700	60923-561-70

Dispense needles, syringes, ancillary supplies and home medical equipment necessary to administer medication.  
If shipped to physician's office, physician accepts on behalf of patient for administration in office.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN HERE

\_\_\_\_\_

Date

Dispense as written

\_\_\_\_\_

Date

Substitution allowed

\_\_\_\_\_

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc.  
Non-compliance with state-specific requirements could result in outreach to the prescriber.