

Remodulin is available only through select Specialty Pharmacy Services (SPS) providers. This Patient Enrollment and Specialty Pharmacy Referral Form collects the information necessary for the SPS providers to process prescriptions and provides patients with the opportunity to enroll in the patient support program known as United Therapeutics Cares™.

Follow these 8 steps to complete each section of the following referral form.

GET STARTED CHECKLIST

- Review the service(s) for which your patient is applying to receive from United Therapeutics Cares.
- Fill out the Patient and Insurance Information. Let your patient know that an SPS provider will be calling, and it is important to answer or return the call.
- Complete and sign the Prescriber Information, Prescription, Medical Information and Statement of Medical Necessity.
- ☐ 4 Complete and sign the Treatment History, Transition Statement, and Calcium Channel Blocker Statement.

- ☐ **(5)** Complete the Optional Side Effect Management page.
- ☐ 6 Patient to review, fill out checkbox consents (as applicable) and sign Patient Consent statement.
- Patient to review and sign Patient Authorization statement.
- Attach the clinical documents outlined on the **Fax Cover Sheet**, including right heart catheterization test results, history and physical, and echocardiogram results. Use the **Fax Cover Sheet** to fax the referral form and signed supporting documents to United Therapeutics Cares or your preferred SPS provider.

 (Note: Insurance plans vary and may impact the approval process.)

1 UNITED THERAPEUTICS CARES

United
Therapeutics
Cares

United Therapeutics Corporation ("United Therapeutics") offers United Therapeutics Cares to help patients start their prescribed United Therapeutics medications. By completing and submitting this Referral Form, the patient agrees to be screened for and receive, if applicable, the following services:

Access and Affordability Support: United Therapeutics Cares provides support to educate patients and caregivers on their insurance coverage, answer access-related questions, and discuss financial assistance eligibility and enrollment options. United Therapeutics Cares investigates patients' insurance coverage (including prior authorization and appeals process requirements and guidelines), as well as patients' eligibility for affordability programs and other support options, such as the United Therapeutics Cares Patient Assistance Program and other United Therapeutics free drug programs and co-pay assistance.

Scan to add
United
Therapeutics
Cares
to your
phone contacts



Product Education: United Therapeutics Cares offers a dedicated point of contact for patients and provides disease and product education support to patients and their caregivers as they start and continue their medication journey.

Coordination: United Therapeutics Cares offers a dedicated point of contact who works with patients and their caregivers, specialty pharmacies and healthcare providers to help reduce non-clinical barriers to therapy, including conducting prescription triage, coordinating delivery, and checking in with patients on an ongoing basis post therapy initiation.

United Therapeutics Cares Patient Assistance Program: The United Therapeutics Cares Patient Assistance Program offers a free medication program for uninsured and underinsured patients who meet eligibility requirements (additional information can be found on our website at www.UnitedTherapeuticsCares.com).

Consent to enroll in the services does not guarantee that any service(s) will be provided. Patient and healthcare provider acknowledge that additional information may be needed to assess eligibility for and provide the services. Consent is not required to submit a prescription and have a specialty pharmacy process the prescription.



atient Name:	Date of Birth:		
2 PATIENT INFORMATION			
Name - First	Middle	Last	
Date of Birth	Gender	Last 4 Digits of SSN	
Home Address			
City	State	Zip	
Shipping Address (if different from home	address)		
City	State	Zip	
Telephone: ☐ Home ☐ Cell ☐ Work	Alternate Telephone: ☐ Home ☐ Cell ☐ Work	Best Time to Call: ☐ Morning ☐ Afternoon ☐ Evening Okay to leave a voicemail? ☐ Yes ☐ No	
E-mail Address			
Caregiver/Family Member	Caregiver Telephone: ☐ Home ☐ Cell ☐ Work	Caregiver Alternate Telephone: ☐ Home ☐ Cell ☐ Work	
Caregiver E-mail Address	Caregiver Alternate E-mail Address	Okay to leave a voicemail? Yes No	
2 INSURANCE INFORMATION			
Primary Prescription Insurance			
Subscriber ID #	Group #	Telephone	
Primary Medical Insurance		Policy Holder/Relationship	
Subscriber ID #	Group #	Telephone	
Secondary Medical Insurance		Policy Holder/Relationship	
Subscriber ID #	Group #	Telephone	

Please include copies of the front and back of the patient's medical and prescription insurance card(s).



Patient Name:	Date of Birth:			
3 PRESCRIBER INFORMATION	3 REMODULIN PRESCRI	IPTION INF	ORMATION	
Prescriber Name - First Last	1 mg/mL (20-mL vial)		ense 1 month of drug and lies X refills	
NPI # State License #	☐ 2.5 mg/mL (20-mL vial) ☐ 5 mg/mL (20-mL vial)		weight: □ kg □ lb	
Office/Clinic/Institution Name	10 mg/mL (20-mL viai)		bcutaneous continuous infusion	
Address		_	ravenous continuous infusion	
City State Zip	Pumps: ☐ CADD-MS® 3 Pumps (2) ☐ Ambulatory IV Infusion	☐ Remunity® Pump for Remodulin (Remunity Pumps (2), Remotes, Batteries + Chargers):		
Telephone Fax	Pumps for Remodulin (2) Please see the bottom of this section f	☐ Patient	Fill Specialty Pharmacy Fill	
E-mail Address Office Contact Name	Dosing and Titration Instruct instructions, fill in the blanks O			
Office Contact Phone Office Contact E-mail		Initiation Dosage:ng/kg/min titrate ng/kg/min every days or at nearest cassette change until a goal dose ofng/kg/min is		
Preferred Method of Communication: \square Phone \square Email \square Mail \square Fax	achieved.			
3 MEDICAL INFORMATION / PATIENT EVALUATION / SUPPORTING DOCUMENTATION Patient UT PAH Product Therapy Status for the requested drug:	Prescriber may specify any a titration instructions here. I done at cassette change.			
☐ Naïve/New ☐ Restart ☐ Transition	Specialty Pharmacy to contact prescribing			
Current Specialty Pharmacy: Patient Status: □ Accredo Health Group, Inc. □ CVS Specialty □ Outpatient □ Inpatient	above. Dose changes requiring a new vial strength may be required to be on the next weekly shipmer. Central Venous Catheter Care:			
NYHA Functional Class: Weight: kg lb Diabetic: Yes No	Dressing change every		r IV standard of care	
□ □ □	Check One (0.9% Sodium Chloride will be used if no box is checked): ☐ Remodulin Sterile Diluent for Injection ☐ 0.9% Sodium Chloride for Injection			
Allergies: ☐ Drug Allergies ☐ Non-Drug Allergies ☐ No Known Allergies	pH 12 Sterile Diluent for Inject	☐ pH 12 Sterile Diluent for Injection ☐ Sterile Water for Injection		
Diagnosis: The following ICD-10 codes do not suggest approval, coverage, or reimbursement for specific uses or indications.	■ Epoprostenol Sterile Diluent for Injection Nursing Orders: RN visit to provide assessment and education on administration, dosing, and titration. Location: ■ Home ■ Outpatient Clinic ■ Hospital Prescriber-directed Specialty Pharmacy home healthcare RN visit(s) as detailed below:			
I27.0 Primary I27.21 Secondary pulmonary arterial hypertension: pulmonary □ Connective tissue disease □ Portal Hypertension hypertension: □ Congenital Heart Disease □ HIV □ Idiopathic PAH □ Drugs/Toxins induced □ Other				
Other ICD-10:	For Remunity Pharmacy-Fille	d Cassettes:		
Current Signed and Dated Documents Required for treprostinil therapy initiation: Right Heart Catheterization Echocardiogram	☐ Remunity Pump for Remodu☐ Pharmacy-Filled Starter & (Remunity Pumps (2), Remotes, Batterio☐ Remunity Disposable Cas	Kit jes + Chargers)	Dispense 1 week of Remodulin (treprostinil) for emergency supply, and quantity sufficient of prescribed syringes, needles, and any other necessary supplies to fill cassette and administer for emergency supply.	
 ☐ History and Physical Including: Onset of Symptoms, PAH Clinical Signs and Symptoms, Need for Specific Drug Therapy, Course of Illness ☐ Treatment History (included on the next page) ☐ Transition Statement (if applicable) ☐ Calcium Channel Blocker Statement (included on the next page) The Prescriber is to comply with their state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance of state-specific requirements could result in outreach to the Prescriber. 	Dispense prefilled Remunity cassettes prescribed concentration (filled by Sper USP 797 guidelines or equivalent), supplies, medical equipment necessar medication. For patients on Remunity, changed up to 48 hours or 72 hours. A medication must be discarded. For ini Remodulin in the hospital and Remun post discharge, collaboration from bot ordering prescriber are necessary.	ecialty Pharmacy , ancillary ry to administer , cassettes are Any unused tiation of ity transition	emergency suppy. Dispense teaching kits (syringes, needles, and any other necessary supplies to mix and assess patient's mixing skill). Quantity: Up to 4 kits per quarter and refill x1 year. Dispense 1 month of needles, syringes, ancillary supplies, and medical equipment necessary to administer medication.	
3 PRESCRIBER SIGNATURE: PRESCRIPTION AND STATEMEN				
I certify that the pulmonary arterial hypertension therapy ordered above is medi PHYSICIAN'S SIGNATURE REQUIRED TO VALIDATE PRESCRIPTI	ically necessary and that I am personally sup	ervising the care	of this patient.	
Physician's Signature:			Date:	
Disnoves of Weitten	Substitution Allowed			



TREATMENT HISTORY AND TRANSI			
Please indicate Treatment History and list oth	er concurre	ent medications.	Transition Statement It is necessary for this patient (if applicable) t
Medication	Current	Discontinued	FROM TO
PDE-5 i (specify drugs)			Please provide justification for this transition.
Epoprostenol			riease provide justification for this transition.
ilolan® (epoprostenol sodium) for Injection			
Letairis® (ambrisentan) Tablets			
Remodulin® (treprostinil) Injection			
Fracleer® (bosentan) Tablets			
Tyvaso® (treprostinil) Inhalation Solution			
Tyvaso DPI® (treprostinil) Inhalation Powder			
Veletri® (epoprostenol) for Injection			
Ventavis® (iloprost) Inhalation Solution			
Adempas® (riociguat) Tablets			
Opsumit® (macitentan) Tablets			
Orenitram® (treprostinil) Extended-Release Tablets			
Uptravi® (selexipag) Tablets			
Other			
Other			
of the t			
CALCIUM CHANNEL BLOCKER STATE Lease indicate below if the Patient named above Calcium Channel Blocker was not trialed be	e was trialed		
CALCIUM CHANNEL BLOCKER STATE	e was trialed ecause:	ent is hemodynamic ent did not meet AC ent has documented	ally unstable or has a history of postural hypotensi CP Guidelines for Vasodilator Response
CALCIUM CHANNEL BLOCKER STATE lease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity	e was trialed ecause:	ent is hemodynamic ent did not meet AC ent has documented	ally unstable or has a history of postural hypotens CP Guidelines for Vasodilator Response
CALCIUM CHANNEL BLOCKER STATE lease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity Other:	e was trialed ecause:	ent is hemodynamic ent did not meet AC ent has documented	ally unstable or has a history of postural hypotens CP Guidelines for Vasodilator Response
CALCIUM CHANNEL BLOCKER STATE Lease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity Other: R The following Calcium Channel Blocker was the following response(s):	e was trialed ecause:	ent is hemodynamic ent did not meet AC ent has documented	ally unstable or has a history of postural hypotens CP Guidelines for Vasodilator Response d bradycardia or second- or third-degree heart bl
ease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity Other: R he following Calcium Channel Blocker was the following response(s): Patient hypersensitive or allergic	e was trialed ecause:	ent is hemodynamic ent did not meet AC ent has documented	ally unstable or has a history of postural hypotensic CP Guidelines for Vasodilator Response dibradycardia or second- or third-degree heart bloom by the continued to rise
ease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity Other: R ne following Calcium Channel Blocker was to ith the following response(s): Patient hypersensitive or allergic Adverse event	e was trialed ecause: Patie Patie Patie	ent is hemodynamic ent did not meet AC ent has documented	ally unstable or has a history of postural hypotensic CP Guidelines for Vasodilator Response d bradycardia or second- or third-degree heart bloom by the continued to rise Patient became hemodynamically unstable
ease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity Other: R ne following Calcium Channel Blocker was to ith the following response(s): Patient hypersensitive or allergic	e was trialed ecause: Patie Patie Patie	ent is hemodynamic ent did not meet AC ent has documented	ally unstable or has a history of postural hypotensic CP Guidelines for Vasodilator Response d bradycardia or second- or third-degree heart blo monary arterial pressure continued to rise
CALCIUM CHANNEL BLOCKER STATE Lease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity Other: R The following Calcium Channel Blocker was the following response(s): Patient hypersensitive or allergic Adverse event Disease continued to progress or patient remembers.	e was trialed ecause:	ent is hemodynamic ent did not meet AC ent has documented Pull	ally unstable or has a history of postural hypotensic CP Guidelines for Vasodilator Response dibradycardia or second- or third-degree heart bloom by the control of the con
CALCIUM CHANNEL BLOCKER STATE lease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity Other: R he following Calcium Channel Blocker was to //ith the following response(s): Patient hypersensitive or allergic Adverse event Disease continued to progress or patient rem Other:	e was trialed ecause:	ent is hemodynamic ent did not meet AC ent has documented Pull	ally unstable or has a history of postural hypotensic CP Guidelines for Vasodilator Response d bradycardia or second- or third-degree heart blo monary arterial pressure continued to rise
CALCIUM CHANNEL BLOCKER STATE lease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity Other: CR The following Calcium Channel Blocker was the following response(s): Patient hypersensitive or allergic Adverse event	e was trialed ecause:	ent is hemodynamic ent did not meet AC ent has documented Pull	monary arterial pressure continued to rise
CALCIUM CHANNEL BLOCKER STATE lease indicate below if the Patient named above Calcium Channel Blocker was not trialed be Patient has depressed cardiac output Patient has systemic hypotension Patient has known hypersensitivity Other: R he following Calcium Channel Blocker was to Vith the following response(s): Patient hypersensitive or allergic Adverse event Disease continued to progress or patient rem Other: PRESCRIBER SIGNATURE	e was trialed ecause:	ent is hemodynamic ent did not meet AC ent has documented Puli	ally unstable or has a history of postural hypotensic CP Guidelines for Vasodilator Response d bradycardia or second- or third-degree heart blo monary arterial pressure continued to rise





atient Name:	Date of Birth:
5 OPTIONAL SIDE EFFECT MANAGEMENT	
for dosing in Step 3 of this form.	SPS will be able to follow up with the patient should they experience side effects. Include directions to SPS
· · · · · · · · · · · · · · · · · · ·	HER, IF ADDITIONAL PRESCRIPTIONS ARE INTENDED, THEY SHOULD BE PROVIDED TO THE PATIENT SEPARATELY. Frequency NSAIDs (separate Rx required)
	nadol (separate Rx required) Other
Nausea/Vomiting: Ondansetron (separate Rx re	equired) Metoclopramide (separate Rx required) PPIs (separate Rx may be required)
Prochlorperazine (separate Rx required)	methazine (separate Rx required) Other
	uency 🔲 Diphenoxylate/atropine (separate Rx required) 🔲 Dicyclomine (separate Rx required)
	et Other
SC Site Pain: Non-pharmacologic considerations:	☐ Hot or Cold compress ☐ Aloe Vera gel ☐ Arnica oil ☐ Dry catheter placement
Topical agents: Topical corticosteroids - select from	list (separate Rx may be required) Hydrocortisone cream Triamcinolone acetonide cream
☐ Fluticasone propionate nasal spray ☐ Pimecrolir	nus cream
Other topical considerations: \square Diphenhydramine F	ICL Hemorrhoid ointment PLO gel Lidoderm 5% patches Capsaicin 8% patch
Oral agents: Antihistamines - select from list (separ	ate Rx may be required)
H₁ blockers: ☐ Cetirizine hydrochloride ☐ Fexofena	adine hydrochloride H ₂ blockers: Famotidine
Pain relievers - select from list (separate Rx may be	required): 🗌 Acetaminophen 🔲 Ibuprofen
Other considerations (separate Rx may be require	d): ☐ Gabapentin ☐ Tramadol ☐ Amitriptyline HCl ☐ Pregabalin ☐ Opioids
Additional Instructions:	
Provide any additional instructions for SPS on prefer	red communication or managing other side effects.

6 PATIENT CONSENT

Enrolling in United Therapeutics Cares. By submitting this form, I am enrolling in United Therapeutics Cares and I authorize United Therapeutics Corporation, its affiliated companies, vendors, agents, and representatives (collectively, "United Therapeutics") to provide me services through United Therapeutics Cares. Such services, as described on Page 1, include: (1) Access and Affordability Support, through which United Therapeutics Cares will provide support to educate patients and caregivers on their insurance coverage, answer access-related questions, and discuss financial assistance eligibility and enrollment options; (2) Product Education, through which United Therapeutics Cares offers a dedicated point of contact, who provides disease and product education support to patients and their caregivers; (3) Coordination, through which United Therapeutics Cares offers a dedicated point of contact who works with patients and their caregivers, specialty pharmacies and healthcare providers to help reduce non-clinical barriers to therapy, including conducting prescription triage, coordinating delivery, and checking in with patients on an ongoing basis post therapy initiation; and (4) United Therapeutics Cares Patient Assistance Program, which offers a free medication program for uninsured and underinsured patients who meet eligibility requirements (the "Services").

Verification of Eligibility. To the extent I am enrolling in the United Therapeutics Cares Patient Assistance Program, I authorize United Therapeutics to verify my eligibility for the Patient Assistance Program, and I understand that such verification may include contacting me or my healthcare provider for additional information and/or reviewing additional insurance, medical information and/or financial information. I understand that eligibility for participation will be verified periodically.



■ By checking this box, I am providing written instructions authorizing United Therapeutics Cares, United Therapeutics and their vendors, under the Fair Credit Reporting Act to obtain information about my credit profile or other information from credit reporting agencies or public or other sources.

I authorize United Therapeutics Cares to obtain such information solely to determine eligibility for enrollment in the United Therapeutics Cares Patient Assistance Program. I understand that such reports may contain information about my income, credit standing, credit worthiness, credit capacity, character or personal characteristics. I understand that, upon request, United Therapeutics will tell me whether an individual consumer report was requested and the name and address of the agency that furnished it. Enrollment and continuation in the United Therapeutics Cares Patient Assistance Program are conditioned upon timely verification of income.

Conditions of Participation. If I receive free drugs under the United Therapeutics Cares Patient Assistance Program, I certify that I will not seek payment for the United Therapeutics product from any government-funded healthcare program (Medicare/Medicaid/Veterans Administration/Department of Defense), and that I will not submit any costs paid by United Therapeutics Cares as a claim for payment to a health plan, foundation, flexible spending account, or healthcare savings account. I agree to notify United Therapeutics Cares if my insurance or financial situation changes. I certify that any information, including financial and insurance information I provide, is complete and true. I understand that United Therapeutics Cares may be changed or discontinued without notice.

Use of Personal Information. I understand through my submission of this Patient Enrollment and Referral Form, I consent to the collection, use and disclosure of my personal health data, contact information and other identifying information by United Therapeutics for provision of the Services and for other business purposes, as described in the United Therapeutics Privacy Statement, available at: www.unither.com/privacy. Depending on where I live, I may have certain rights with respect to the privacy of my information, including the request to access or delete my personal information, as described in the United Therapeutics Privacy Statement. If you are a California resident, please see our CCPA Notice at Collection provided within the United Therapeutics Privacy Statement. I am aware that United Therapeutics may not be required to fulfill my requests in certain circumstances. I understand that to exercise these rights, I may contact United Therapeutics at 844-864-8437 or privacyoffice@unither.com.





Patient Enrollment and Specialty P	harmacy Referral Form	(treprostinil) Injection
Patient Name:	Date of Birth:	
(including service providers on its behalf) by mail, fa information, including health information, may be u	hereby provide my consent to receive certain communications from United x, email, telephone (including cell phone) and text message. I understand arised or disclosed as part of the communications. Communications transmitted insecure, and there is no assurance of confidentiality for information communications.	nd acknowledge that my personal ed via unencrypted email or text
UNITED THERAPEUTICS CARES TEXT COM	IMUNICATIONS AUTHORIZATION	
rates may apply. Message frequency varies. I t Cares, to purchase any goods or services, or to	essages from "United Therapeutics Cares" at the mobile phone number I hat understand I am not required to consent to receive text messages to particito receive any other communications I have selected. I can reply HELP for he y information is subject to the United Therapeutics Privacy Statement, www.com/textterms.	pate in United Therapeutics lp. I can reply STOP to opt out
MARKETING AUTHORIZATION		
number and address I have provided from Un	y mail, email, and telephone (including cell phone), including through auton ited Therapeutics regarding its products, programs, services, disease state and surveys, and other research opportunities. I understand the processing communither.com/privacy.	materials, educational and
	n United Therapeutics Cares can be found on our website at www.UnitedTh or terminate your enrollment, please call 844-864-8437 Monday–Friday, 8:30 709.	
6 PATIENT CONSENT SIGNATURE		
Patient or Representative Signature	Date: e: ent if patient cannot sign:	
PATIENT AUTHORIZATION TO SHARE	UEALTH INFORMATION	
7 PATIENT AUTHORIZATION TO SHARE	HEALTH INFORMATION	
resources, case management support, and financial plans, pharmacies, and other healthcare service pro and other companies, entities, and individuals worki prescriptions, treatment and health insurance inform with a United Therapeutics product; 2) obtain inform sources to estimate my income, if needed, to assess 5) coordinate treatment logistics with My Healthcare research, process and program improvement, and p	tics") offers United Therapeutics Cares, which provides patient support servi assistance for eligible patients. By signing below, I give my permission for my viders ("My Healthcare Providers") to share with United Therapeutics, its preing with and on behalf of United Therapeutics, personal information relating mation ("My Information") so that United Therapeutics may: 1) review my eligibility for financial assistance programs; 4) facilitate and manage United a Providers; 6) de-identify My Information and combine it with other de-identifully including cell phone; settics medications, products or services for the purposes set forth below, if	ry healthcare providers, health sent and future affiliates, vendors, to my medical condition, gibility for benefits for treatment tion and information from other Therapeutics Cares; tified data for purposes of), text message, email, mail or fax
state privacy laws from further disclosure. I also undin this Authorization or as required by law. I understain exchange for sharing My Information with United understand that My Information is also subject to the refuse to sign this Authorization, and that refusir	closed to United Therapeutics pursuant to this Authorization, it may no longe erstand however that United Therapeutics intends to use and disclose My Information (payment) and that my pharmacy and health insurers may receive remuneration (payment) therapeutics to facilitate the patient support programs and other purposes of the United Therapeutics Privacy Statement available at www.unither.com/privacy will not affect my treatment, insurance enrollment, or eligibility for insurance support programs. If I do sign, I may cancel this Authorization at an enterprise programs.	formation only for purposes stated ent) from United Therapeutics described in this Authorization. I wacy. I understand that I may nsurance benefits, but it will
United Therapeutics Cares, P.O. Box 12015 Research Authorization will not invalidate reliance on this Auth	Triangle Park, NC 27709 or by emailing opt-out@unitedtherapeuticscares.co corization to use or disclose My Information prior to United Therapeutics' receite next to my signature, unless I revoke it sooner, or unless a shorter timefra	m. I understand that canceling this eipt of my notice of cancellation.

	7 PATIENT AUTHORIZATION SIGNATURE					
		Patient Name (Print):	Date:			
i	SIGN HERE	Patient or Representative Signature:				
٦		Representative relationship to patient if patient cannot sign:				



Fax the completed referral form and documentation to United Therapeutics Cares or the Specialty Pharmacy of your choice below.

FAX COVER SHEET		
Date:		
To: (check one) ☐ United Therapeutics Cares	Accredo Health Group, Inc.	CVS Specialty
Fax: 1-800-380-5294	Fax: 1-800-711-3526	Fax: 1-877-943-1000
Phone: 1-844-864-8437	Phone: 1-866-344-4874	Phone: 1-877-242-2738
From: (Name of agent of prescriber who transmitted the facsimi	le/Prescription)	
F:!!4 NI		
Facility Name:		
Fax:		
Included in this fax:		
☐ Completed Remodulin Therapy Referral Form	n including	
Step 2 - Patient Information and Insurance Information (including front and back copies of medical and p	prescription insurance card(s))
Step 3 - Prescriber Information, Prescription, Medical Info		
Step 4 - Treatment History, Transition Statement, Calciur	n Channel Blocker Statement	
 Step 5 - Optional Side Effect Management Step 6 - Patient Consent 		
 Step 6 - Patient Consent Step 7 - Patient Authorization To Share Health Information 	on	
☐ Included signed and dated documents		
Right Heart Catheterization Results		
 History and Physical (including Onset of Symptoms, PAH 		
Need for Specific Drug Therapy and 6-minute walk test results.	esults	
Echocardiogram Results		
Number of Pages:		
Additional Comments:		
Additional Comments:		
Prescriber's Preferred Specialty Pharmacy - To	he used if nationt's naver does no	t mandate a narticular
rescribers referred specialty rilarillacy - 10	be ased if patient's payer ades HU	i manuace a particulal

US-REM-0987

Remodulin and Remunity are registered trademarks of United Therapeutics Corporation. United Therapeutics Cares™ is a trademark of United Therapeutics Corporation. All other brands are trademarks of their respective owners. The makers of these brands are not affiliated with and do not endorse United Therapeutics or its products.

© 2024 United Therapeutics Corporation. All rights reserved. CONFIDENTIAL. US-REM-0987 Printed in the USA. Updated September 2024.

Specialty Pharmacy be used: ☐ Accredo Health Group, Inc. ☐ CVS Specialty

