Please fax both pages of completed form to the Psoriasis team at 888.302.1028.

To reach your team, call toll-free 844.516.3319.

You can now monitor shipments and chat online if you have questions. Go to MyAccredoPatients.com to log in or get started.

Prescription & Enrollment Form

Psoriasis—Humira and Biosimilars



Four simple steps to submit your referral.

New patient Current patient Patient's first name	Last 4 digits of SSN
Preferred patient first name	Last 4 digits of SSN
Sex at birth: Male Female Gender identity Pronouns	Last 4 digits of SSN
Date of birth State	Apt # Zip Email address Email address Email address Email address address Email address address Email address Email address address Email address E
State	Zip
Parent/guardian (if applicable) Home phone Cell phone Alternate caregiver/contact Home phone Cell phone OK to leave message with alternate caregiver/contact Patient's primary language: English Other If other, please specify Prescriber Information All fields representation Date medical prescriber info: Prescriber's first name Date medical prescriber's title If NP or PA, under the prescriber and title NPI # Defice street address NPI #	Email address _ Email address nust be completed to expedite prescription fulfillment. ation needed
All fields rescriber Information Cell phone	Email address Email address nust be completed to expedite prescription fulfillment. ation needed
All fields of the contact and title	nust be completed to expedite prescription fulfillment. ation needed
OK to leave message with alternate caregiver/contact Patient's primary language: English Other If other, please specify Prescriber Information All fields report of the please specify Time Date medical prescriber info: Prescriber's first name If NP or PA, under the prescriber info: Prescriber info: Prescriber info: Prescriber's title If NP or PA, under the prescriber and title Prescriber address NPI # Defice street address Prescriber address	nust be completed to expedite prescription fulfillment. ation needed
OK to leave message with alternate caregiver/contact Patient's primary language: English Other If other, please specify Prescriber Information All fields in Date Time Date medical prescriber info: Prescriber's first name	nust be completed to expedite prescription fulfillment. ation needed
Prescriber Information All fields represcriber Information Date medical Diffice/clinic/institution name	nust be completed to expedite prescription fulfillment. ation needed
Prescriber Information All fields in Date medical Date in Date medical Diffice/clinic/institution name	nust be completed to expedite prescription fulfillment. ation needed
Date Time Date medic Office/clinic/institution name Prescriber info: Prescriber's first name Prescriber's title If NP or PA, und Office phone Fax NPI # Office contact and title Office street address	ation needed
Prescriber info: Prescriber's first name	
If NP or PA, und If NP or PA, und If NP or PA, und Iffice phone NPI # Iffice contact and title Iffice street address	Last name
office phone Fax NPI # office contact and title office street address	er direction of Dr
Office contact and title	
office street address	
ity State	
nfusion location: Patient's home Prescriber's office Infusion site If infusion	site, complete information below dotted line:
nfusion info: Infusion site name Clinic/I	nospital affiliation
ite street address	
tity State	· ·
nfusion site contact Phone Fax	Email
3 Clinical Information	
Primary ICD-10 code (REQUIRED): Severity: Mode Type: Plaque Other Significant symptoms	
Prior Treatments: Topicals PUVA UVB Methotrexate Cyclosporine Medical justification for prescribing	

Patient's first name	Last name	Middle initial	Date of birth
Prescriber's first name	Last name	Phone	

4

Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Amjevita™ (adalimumab-atto) Citrate Free	40mg/0.8mL SureClick Autoinjector 40mg/0.8mL prefilled syringe (PFS)	Loading dose: Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
(ADULT)		Maintenance dose: Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Cyltezo® (adalimumab- adbm)	40mg/0.8mL pen 40mg/0.8mL PFS	Loading dose: Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
Citrate Free (ADULT)		Maintenance dose: Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
adalimumab- adbm Citrate Free	40mg/0.8mL pen 40mg/0.8mL PFS	Loading dose: Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
(ADULT)		Maintenance dose: Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Hadlima™ (adalimumab- bwwd)	40mg/0.8mL PFS 40mg/0.4mL PFS 40mg/0.8mL PushTouch Autoinjector	Loading dose: Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
Citrate Free (ADULT)	40mg/0.4mL PushTouch Autoinjector	Maintenance dose: Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Humira® (adalimumab) (ADULT)	Starter: 80mg/0.8mL and 40mg/0.4mL citrate-free pens starter package 40mg/0.4mL PFS for starter dose	Loading dose: Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter.	1 starter kit -OR- QS for 1-month loading dose
	Maintenance: 40mg/0.4mL citrate-free pen 40mg/0.4mL citrate-free PFS 40mg/0.8mL pen 40mg/0.8mL PFS	Maintenance dose: Inject 40mg subcutaneously every other week.	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Other			
	Prescriber to strike through if not required) plies such as needles, syringes, sterile water, etc. and ho	ome medical equipment necessary to administer the therapy as needed.	Send quantity sufficient for medication days supply

If shipped to physician's office or infusion clinic, physician accepts on behalf of patient for administration in office or infusion clinic.

By signing below, I certify that the above therapy is medically necessary.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN HERE				
HERE	Date	Dispense as written	Date	Substitution allowed

Patient's first name	Last name	Middle initial Date of birth	_
Prescriber's first name	Last name	Phone	
4 Prescribing Information			

Medication	Strength/Formulation	Directions	Quantity/Refills
Hyrimoz® (adalimumab-adaz) Citrate Free	80mg/0.8mL and 40mg/0.4mL Pen Psoriasis Starter Pack (3 pens)	Loading dose: Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	1 starter kit -OR- QS for 1-month loading dose
(ADULT)	40mg/0.4mL pen 40mg/0.4mL PFS	Maintenance dose: Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
adalimumab-adaz Citrate Free (ADULT)	40mg/0.4mL pen 40mg/0.4mL PFS	Loading dose: Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	1 starter kit -OR- QS for 1-month loading dose
,		Maintenance dose: Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Idacio® (adalimumab-aacf) Citrate Free	40mg/0.8mL PFS 40mg/0.8mL Pen	Loading dose: Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
(ADULT)		Maintenance dose: Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Other			
	Scriber to strike through if not required) es such as needles, syringes, sterile water, etc. and	home medical equipment necessary to administer the therapy as needed.	Send quantity sufficient for medication days supply

If shipped to physician's office or infusion clinic, physician accepts on behalf of patient for administration in office or infusion clinic.

By signing below, I certify that the above therapy is medically necessary.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN HERE				
TILKE	Date	Dispense as written	Date	Substitution allowed
		- · · · · · · · · · · · · · · · · · · ·		

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.

