## Please fax both pages of completed form to your team at 888.302.1028.

To reach your team, call toll-free 844.516.3319.

You can now monitor shipments and chat online if you have questions. Go to MyAccredoPatients.com to log in or get started.

**Prescription & Enrollment Form** 

## Rheumatoid Arthritis - Humira and Biosimilars



Four simple steps to submit your referral.

		Last name	cription insurance cards.  Middle initia	
Patient's first name  Preferred patient first name  Sex at birth: Male Female Generate of birth Street			Middle initia	
Preferred patient first name Sex at birth: Male Female Gene Date of birth Street			Middle initia	
Sex at birth: Male Female General Street		Preferred na		
Date of birth Stree	der identity			
		Pronouns	Last 4 digits of SSN	
City			Apt #	
Oity		State	Zip	
Home phone	Cell phone	Em	ail address	
Parent/guardian (if applicable)				
Home phone	Cell phone	Em	ail address	
Alternate caregiver/contact				
Home phone	Cell phone	Em	ail address	
OK to leave message with alternate of	caregiver/contact			
Patient's primary language: English	Other If other, plea	se specify		
2 Prescriber Informa	ation	All fields must b	e completed to expedite prescription fulfi	llment.
Date Tin	ne	Date medication	needed	
Office/clinic/institution name				
Prescriber info: Prescriber's first name		La	ast name	
Prescriber's title		If NP or PA, under dire	ection of Dr.	
Office phone	_ Fax	NPI #	License #	
Office contact and title		Off	ce contact email	
Office street address			Suite #	
City		State	Zip	
Infusion location: Patient's home	Prescriber's office Infu	sion site If infusion site,	complete information below dotted line:	
Infusion info: Infusion site name		Clinic/hospit	al affiliation	
Site street address			Suite #	
City		State	Zip	
Oity				

Patient's first name	Last name	Middle initial	Date of birth
Prescriber's first name	Last name	Phone	

## 4 Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Amjevita <sup>TM</sup> (adalimumab-atto) Citrate Free Patient weight is requested for pediatric patients: kg	10mg/0.2mL prefilled syringe (PFS) 20mg/0.4mL PFS 40mg/0.8mL SureClick AutoInjector 40mg/0.8mL PFS	Inject 10mg subcutaneously every other week Inject 20mg subcutaneously every other week Inject 40mg subcutaneously every other week Inject 80mg subcutaneously every other week Inject 40mg subcutaneously every week Other	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Cyltezo® (adalimumab-adbm) Citrate Free Patient weight is requested for pediatric patients: kg	10mg/0.2mL PFS 20mg/0.4mL PFS 40mg/0.8mL pen 40mg/0.8mL PFS	Inject 10mg subcutaneously every other week Inject 20mg subcutaneously every other week Inject 40mg subcutaneously every other week Inject 80mg subcutaneously every other week Inject 40mg subcutaneously every week Other	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
adalimumab- adbm Citrate Free Patient weight is requested for pediatric patients: kg	10mg/0.2mL PFS 20mg/0.4mL PFS 40mg/0.8mL pen 40mg/0.8mL PFS	Inject 10mg subcutaneously every other week Inject 20mg subcutaneously every other week Inject 40mg subcutaneously every other week Inject 80mg subcutaneously every other week Inject 40mg subcutaneously every week Other	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Hadlima <sup>™</sup> (adalimumab-bwwd) Citrate Free	40mg/0.8mL PFS 40mg/0.4mL PFS 40mg/0.8mL PushTouch Autoinjector 40mg/0.4mL PushTouch Autoinjector	Inject 40mg subcutaneously every other week Inject 80mg subcutaneously every other week Inject 40mg subcutaneously every week Other	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Humira® (adalimumab) Patient weight is requested for pediatric patients: kg	10mg/0.1mL PFS 20mg/0.2mL PFS 40mg/0.4mL PFS (citrate free) 40mg/0.4mL Pen (citrate free) 40mg/0.8mL PFS 40mg/0.8mL Pen 80mg/0.8mL Pen (citrate free)	Inject 10mg subcutaneously every other week Inject 20mg subcutaneously every other week Inject 40mg subcutaneously every other week Inject 80mg subcutaneously every other week Inject 40mg subcutaneously every week Other	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Other			
Ancillary Supplies: (Prescriber to strike through if not required) Dispense ancillary supplies such as needles, syringes, sterile water, etc. and home medical equipment necessary to administer the therapy as needed.			Send quantity sufficient for medication days supply

If shipped to physician's office, physician accepts on behalf of patient for administration in office.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN	•			
HEKE	Date	Dispense as written	Date	Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.

Patient's first name	Last name	Middle initial	Date of birth
Prescriber's first name	Last name	Phone	

## 4 Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Hyrimoz® (adalimumab-adaz) Citrate Free Patient weight is requested for pediatric patients:kg	10mg/0.1mL PFS 20mg/0.2mL PFS 40mg/0.4mL pen 40mg/0.4mL PFS 80mg/0.8mL pen	Inject 10mg subcutaneously every other week Inject 20mg subcutaneously every other week Inject 40mg subcutaneously every other week Inject 80mg subcutaneously every other week Inject 40mg subcutaneously every week Other	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
adalimumab-adaz Citrate Free	40mg/0.4mL pen 40mg/0.4mL PFS	Inject 40mg subcutaneously every other week Inject 80mg subcutaneously every other week Inject 40mg subcutaneously every week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Idacio® (adalimumab-aacf) Citrate Free Patient weight is requested for pediatric patients: kg	40mg/0.8mL PFS 40mg/0.8mL Pen	For Adults and Children 2 yrs and older weighing 30kg (66 lbs) and greater: Inject 40mg subcutaneously every other week Adults Inject 40mg subcutaneously every other week Inject 80mg subcutaneously every other week Inject 40mg subcutaneously every week Other	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other
Other			
_			Send quantity sufficient for medication days supply

If shipped to physician's office, physician accepts on behalf of patient for administration in office.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN HERE				
	Date	Dispense as written	Date	Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.

